



# ROTARY CUP FILLING SEALING MACHINE



**ROTOCON - CUP**  
series



**Accurate  
Filling**




**Flexible to  
Various Cup Sizes**



**Secured  
Sealing**




**Adjustable  
Filling Volumes**



**Intuitive  
Interface**



**Smart  
Design**



A Rotary Cup Filling Sealing Machine is a compact, automated system designed to fill efficiently and seal cups in a rotating table process, making it ideal for small to medium production runs in the food and beverage industry. It offers versatility in handling various cup sizes and materials with consistent sealing quality.

The Rotary Cup Filling Sealing Machine features a multi-station design, allowing simultaneous filling, sealing, and lid application to maximize production efficiency.

Various applications include dairy products, beverages, condiments, pharmaceuticals, pet food, cosmetics, ready-to-eat foods, etc.



## Easy to Operate

Designed with simplicity, our machine features an intuitive smart interface and straightforward controls, ensuring easy operation for all experience levels.


## Easy Maintenance

With a focus on convenience, our machine is engineered for easy maintenance, featuring accessible components and straightforward service procedures.

## Rapid Tech Support

Benefit from our 24\*7 rapid tech support, offering prompt assistance and solutions to minimize downtime and keep your machine running smoothly.

## DIMENSIONS



## ROTOCON - CUP 2400

## TECHNICAL SPECIFICATIONS

Product To Be Filled	Curd, Juice, Paste, Cheese Spread, Cream, Butter, Jelly, Jam, Yogurt, Cheese, Margarine, Water, Etc.	PLC	Fuji
Filler System	Gravity Filling System, Gear Pump (Servo Based)	Machine Construction	Stainless Steel 304 & Aluminum Assemblies
Suitable Filling Volume	50 gm To 500 gm (Based On Product)	Pneumatic Components	SMC
Production Capacity	600 To 2400 Pcs. Per Hour	Pneumatic Pipes And Fittings	SMC
No. Of Station	8 (Can Be Varied)	Required Air Compressor	5 HP
Power Supply	4 KW (1 Phase)	Required Air Pressure	6 - 7 Bar
Actuator	Servo Motor	Machine Length	~ 1124 mm
Human Machine Interface	7-Inch Fuji	Machine Width	~ 1040 mm
		Machine Height	~ 1400 mm

\*The above mentioned values are indicative and can be modified at any time at the discretion of the company.