



A strapping machine is used to secure packages with straps, typically made of plastic, ensuring their stability during storage or transport. These machines can be automatic, semi-automatic, or manual, offering varying levels of efficiency. They are essential in industries like logistics and packaging, improving productivity and reducing manual labour.

The strapping machine features adjustable tension control, a sealing system, and compatibility with various strap materials (such as polypropylene or polyester) to securely bind packages of different sizes and weights.

A strapping machine is used to securely bind packages, pallets, and cartons for storage, shipping, and transportation, ensuring stability and preventing damage during transit.

PRECISION IN **PACKAGING**, **INNOVATION** IN MACHINERY

www.iconindustriesindia.com

SS

Easy to Operate

Designed with simplicity, our machine features an intuitive smart interface and straightforward controls, ensuring easy operation for all experience levels.

FULLY AUTOMATIC STRAPPING MACHINE



Easy Maintenanse

With a focus on convenience, our machine is engineered for easy maintenance, featuring accessible components and straightforward service procedures.

Rapid Tech Support

Benefit from our 24*7 rapid tech support, offering prompt assistance and solutions to minimize downtime and keep your machine running smoothly.

SEMI AUTOMATIC STRAPPING MACHINE

Öcon



ICON



TECHNICAL SPECIFICATIONS

Model	Fully Automatic	Semi Automatic	Pneumatic Tool
Power Supply	3 Phase, 220 v / 380 v / 440 v	1/4 HP (220 v AC)	Pneumatic
Strap Width	9, 12 , 15, 19 mm	6 To 15 mm	9 To 19 mm
Tension Adjustment	Adjustable (Max. Over 90 kg.)	15 - 55 kg.	Manual
Speed	2.4 Sec / Cycle	1.5 Sec.	0.6 To 4.9 Sec.
Max. Packing Size (W x H)	850 x 600 mm	Not Stipulated	-
Min. Packing Size (W x H)	100 x 50 mm	60 x 30 mm	-
Power Consumption	850 W	-	Air Pressure 0.5 to 0.7 MPA
Dimension ($L \times W \times H$)	1440 x 640 x 1535 mm	900 x 580 x 750 mm	275 x 115 x 130 mm
Working Table Height	1535	750 mm	-
Net Weight	250 kg	100 kg	3.8 kg.

*The above mentioned values are indicative and can be modified at any time at the discretion of the company.

www.iconindustriesindia.com

PRECISION IN **PACKAGING**, **INNOVATION** IN MACHINERY